

2009 Pediatric ICD-9-CM Codes

Effective October 1, 2008

There are approximately 450 new codes, revisions and deletions to ICD-9-CM for 2009. Listed below are the codes of most interest to general pediatricians.

New codes

038.12	Methicillin resistant Staphylococcus aureus septicemia
041.12	Methicillin resistant Staphylococcus aureus in conditions classified elsewhere and of unspecified site
078.12	Plantar wart
136.29	Other specific infections by free-living amebae
199.2	Malignant neoplasm associated with transplant organ
203.02- 208.92	Leukemia codes (see new codes for specific type)
209.00- 209.30	Malignant carcinoid tumor (see new codes for specific site)
209.40- 209.69	Benign carcinoid tumor (see new codes for specific site)
238.77	Post-transplant lymphoproliferative disorder (PTLD)
249.00- 249.91	Secondary diabetes mellitus (see new codes for specific conditions)
259.50	Androgen insensitivity, unspecified
259.51	Androgen insensitivity syndrome
259.52	Partial androgen insensitivity
275.5	Hungry bone syndrome
279.50	Graft-versus-host disease, unspecified
279.51	Acute graft-versus-host disease
279.52	Chronic graft-versus-host disease
279.53	Acute on chronic graft-versus-host disease
289.84	Heparin-induced thrombocytopenia (HIT)
337.00	Idiopathic peripheral autonomic neuropathy, unspecified
337.01	Carotid sinus syndrome
337.09	Other idiopathic peripheral autonomic neuropathy
339.00	Cluster headache syndrome, unspecified
339.01	Episodic cluster headache
339.02	Chronic cluster headache
339.03	Episodic paroxysmal hemicrania
339.04	Chronic paroxysmal hemicrania
339.05	Short lasting unilateral neuralgiform headache with conjunctival injection and tearing
339.09	Other trigeminal autonomic cephalgias
339.10	Tension type headache, unspecified
339.11	Episodic tension type headache
339.12	Chronic tension type headache
339.20	Post-traumatic headache, unspecified
339.21	Acute post-traumatic headache

2009 Pediatric ICD-9-CM Codes

Effective October 1, 2008

339.22	Chronic post-traumatic headache
339.3	Drug induced headache, not elsewhere classified
339.41	Hemicrania continua
339.42	New daily persistent headache
339.43	Primary thunderclap headache
339.44	Other complicated headache syndrome
339.81	Hypnic headache
339.82	Headache associated with sexual activity
339.83	Primary cough headache
339.84	Primary exertional headache
339.85	Primary stabbing headache
339.89	Other headache syndrome
346.02	Migraine with aura, without mention of intractable migraine with status migrainosus
346.03	Migraine with aura, with intractable migraine, so stated, with status migrainosus
346.12	Migraine without aura, without mention of intractable migraine with status migrainosus
346.13	Migraine without aura, with intractable migraine, so stated, with status migrainosus
346.22	Variants of migraine, not elsewhere classified, without mention of intractable migraine with status migrainosus
346.23	Variants of migraine, not elsewhere classified, with intractable migraine, so stated, with status migrainosus
346.30	Hemiplegic migraine, without mention of intractable migraine without mention of status migrainosus
346.31	Hemiplegic migraine, with intractable migraine, so stated, without mention of status migrainosus
346.32	Hemiplegic migraine, without mention of intractable migraine with status migrainosus
346.33	Hemiplegic migraine, with intractable migraine, so stated with status migrainosus
346.40	Menstrual migraine, without mention of intractable migraine without mention of status migrainosus
346.41	Menstrual migraine, with intractable migraine, so stated, without mention of status migrainosus
346.42	Menstrual migraine, without mention of intractable migraine with status migrainosus
346.43	Menstrual migraine, with intractable migraine, so stated, with status migrainosus
346.50	Persistent migraine aura without cerebral infarction, without mention of intractable migraine without mention of status migrainosus
346.51	Persistent migraine aura without cerebral infarction, with intractable migraine, so stated, without mention of status migrainosus
346.52	Persistent migraine aura without cerebral infarction, without mention of intractable migraine with status migrainosus
346.53	Persistent migraine aura without cerebral infarction, with intractable migraine, so stated, with status migrainosus
346.60	Persistent migraine aura with cerebral infarction, without mention of intractable migraine without mention of status migrainosus
346.61	Persistent migraine aura with cerebral infarction, with intractable migraine, so stated, without mention of status migrainosus
346.62	Persistent migraine aura with cerebral infarction, without mention of intractable migraine with status migrainosus

2009 Pediatric ICD-9-CM Codes

Effective October 1, 2008

346.63	Persistent migraine aura with cerebral infarction, with intractable migraine, so stated with status migrainosus
346.70	Chronic migraine without aura, without mention of intractable migraine without mention of status migrainosus
346.71	Chronic migraine without aura, with intractable migraine, so stated, without mention of status migrainosus
346.72	Chronic migraine without aura, without mention of intractable migraine with status migrainosus
346.73	Chronic migraine without aura, with intractable migraine, so stated, with status migrainosus
346.82	Other forms of migraine, without mention of intractable migraine with status migrainosus
346.83	Other forms of migraine, with intractable migraine, so stated, with status migrainosus
346.92	Migraine, unspecified, without mention of intractable migraine with status migrainosus
346.93	Migraine, unspecified, with intractable migraine, so stated, with status migrainosus
349.31	Accidental puncture or laceration of dura during a procedure
349.39	Other dural tear
362.20	Retinopathy of prematurity, unspecified
364.82	Plateau iris syndrome
372.34	Pingueculitis
414.3	Coronary atherosclerosis due to lipid rich plaque
482.42	Methicillin resistant pneumonia due to Staphylococcus aureus
511.81	Malignant pleural effusion
511.89	Other specified forms of effusion, except tuberculous
530.13	Eosinophilic esophagitis
535.70	Eosinophilic gastritis, without mention of hemorrhage
535.71	Eosinophilic gastritis, with hemorrhage
558.41	Eosinophilic gastroenteritis
558.42	Eosinophilic colitis
569.44	Dysplasia of anus
571.42	Autoimmune hepatitis
599.70	Hematuria, unspecified
599.71	Gross hematuria
599.72	Microscopic hematuria
611.81	Ptosis of breast
611.82	Hypoplasia of breast
611.83	Capsular contracture of breast implant
611.89	Other specified disorders of breast
612.0	Deformity of reconstructed breast
612.1	Disproportion of reconstructed breast
625.70	Vulvodynia, unspecified
625.71	Vulvar vestibulitis
625.79	Other vulvodynia
678.00	Fetal hematologic conditions, unspecified as to episode of care or not applicable
678.01	Fetal hematologic conditions, delivered, with or without mention of antepartum condition
678.03	Fetal hematologic conditions, antepartum condition or complication
678.10	Fetal conjoined twins, unspecified as to episode of care or not applicable

2009 Pediatric ICD-9-CM Codes

Effective October 1, 2008

678.11	Fetal conjoined twins, delivered, with or without mention of antepartum condition
678.13	Fetal conjoined twins, antepartum condition or complication
679.10	Fetal complications from in utero procedures, unspecified as to episode of care or not applicable
679.11	Fetal complications from in utero procedures, delivered, with or without mention of antepartum condition
679.12	Fetal complications from in utero procedures, delivered, with mention of postpartum complication
679.13	Fetal complications from in utero procedures, antepartum condition or complication
679.14	Fetal complications from in utero procedures, postpartum condition or complication
695.10	Erythema multiforme, unspecified
695.11	Erythema multiforme minor
695.12	Erythema multiforme major
695.13	Stevens-Johnson syndrome
695.14	Stevens-Johnson syndrome-toxic epidermal necrolysis overlap syndrome
695.15	Toxic epidermal necrolysis
695.19	Other erythema multiforme
695.50	Exfoliation due to erythematous condition involving less than 10 percent of body surface
695.51	Exfoliation due to erythematous condition involving 10-19 percent of body surface
695.52	Exfoliation due to erythematous condition involving 20-29 percent of body surface
695.53	Exfoliation due to erythematous condition involving 30-39 percent of body surface
695.54	Exfoliation due to erythematous condition involving 40-49 percent of body surface
695.55	Exfoliation due to erythematous condition involving 50-59 percent of body surface
695.56	Exfoliation due to erythematous condition involving 60-69 percent of body surface
695.57	Exfoliation due to erythematous condition involving 70-79 percent of body surface
695.58	Exfoliation due to erythematous condition involving 80-89 percent of body surface
695.59	Exfoliation due to erythematous condition involving 90 percent or more of body surface
707.20	Pressure ulcer, unspecified stage
729.90	Disorders of soft tissue, unspecified
729.92	Nontraumatic hematoma of soft tissue
729.99	Other disorders of soft tissue
733.96	Stress fracture of femoral neck
733.97	Stress fracture of shaft of femur
733.98	Stress fracture of pelvis
760.61	Newborn affected by amniocentesis
760.62	Newborn affected by other in utero procedure
760.63	Newborn affected by other surgical procedure on mother during pregnancy
777.50	Necrotizing enterocolitis in newborn, unspecified

2009 Pediatric ICD-9-CM Codes

Effective October 1, 2008

780.60	Fever, unspecified
780.61	Fever presenting with conditions classified elsewhere
780.62	Postprocedural fever
780.63	Postvaccination fever
780.64	Chills (without fever)
780.65	Hypothermia not associated with low environmental temperature
780.72	Functional quadriplegia
788.91	Functional urinary incontinence
788.99	Other symptoms involving urinary system
795.07	Satisfactory cervical smear but lacking transformation zone
795.10	Abnormal glandular Papanicolaou smear of vagina
795.11	Papanicolaou smear of vagina with atypical squamous cells of undetermined significance (ASC-US)
795.12	Papanicolaou smear of vagina with atypical squamous cells cannot exclude high grade squamous intraepithelial lesion (ASC-H)
795.13	Papanicolaou smear of vagina with low grade squamous intraepithelial lesion (LGSIL)
795.14	Papanicolaou smear of vagina with high grade squamous intraepithelial lesion (HGSIL)
795.15	Vaginal high risk human papillomavirus (HPV) DNA test positive
795.16	Papanicolaou smear of vagina with cytologic evidence of malignancy
795.18	Unsatisfactory vaginal cytology smear
795.19	Other abnormal Papanicolaou smear of vagina and vaginal HPV
796.70	Abnormal glandular Papanicolaou smear of anus
796.71	Papanicolaou smear of anus with atypical squamous cells of undetermined significance (ASC-US)
796.72	Papanicolaou smear of anus with atypical squamous cells cannot exclude high grade squamous intraepithelial lesion (ASC-H)
796.73	Papanicolaou smear of anus with low grade squamous intraepithelial lesion (LGSIL)
796.74	Papanicolaou smear of anus with high grade squamous intraepithelial lesion (HGSIL)
796.75	Anal high risk human papillomavirus (HPV) DNA test positive
796.76	Papanicolaou smear of anus with cytologic evidence of malignancy
796.77	Satisfactory anal smear but lacking transformation zone
796.78	Unsatisfactory anal cytology smear
796.79	Other abnormal Papanicolaou smear of anus and anal HPV
997.31	Ventilator associated pneumonia
997.39	Other respiratory complications
998.30	Disruption of wound, unspecified
998.33	Disruption of traumatic injury wound repair
999.81	Extravasation of vesicant chemotherapy
999.82	Extravasation of other vesicant agent
999.88	Other infusion reaction
999.89	Other transfusion reaction
V02.53	Carrier or suspected carrier of Methicillin susceptible Staphylococcus aureus
V02.54	Carrier or suspected carrier of Methicillin resistant Staphylococcus aureus
V12.04	Personal history of Methicillin resistant Staphylococcus aureus
V13.51	Personal history of pathologic fracture
V13.52	Personal history of stress fracture
V13.59	Personal history of other musculoskeletal disorders

2009 Pediatric ICD-9-CM Codes

Effective October 1, 2008

V15.22	Personal history of undergoing in utero procedure while a fetus
V15.29	Personal history of surgery to other organs
V15.51	Personal history of traumatic fracture
V15.59	Personal history of other injury
V45.11	Renal dialysis status
V45.12	Noncompliance with renal dialysis
V45.87	Transplanted organ removal status
V45.88	Status post administration of tPA (rtPA) in a different facility within the last 24 hours prior to admission to current facility
V46.3	Wheelchair dependence
V51.8	Other aftercare involving the use of plastic surgery
V61.01	Family disruption due to family member on military deployment
V61.02	Family disruption due to return of family member from military deployment
V61.03	Family disruption due to divorce or legal separation
V61.04	Family disruption due to parent-child estrangement
V61.05	Family disruption due to child in welfare custody
V61.06	Family disruption due to child in foster care or in care of non-parental family member
V61.09	Other family disruption
V62.21	Personal current military deployment status
V62.22	Personal history of return from military deployment
V62.29	Other occupational circumstances or maladjustment
V87.01	Contact with and (suspected) exposure to arsenic
V87.09	Contact with and (suspected) exposure to other hazardous metals
V87.11	Contact with and (suspected) exposure to aromatic amines
V87.12	Contact with and (suspected) exposure to benzene
V87.19	Contact with and (suspected) exposure to other hazardous aromatic compounds
V87.2	Contact with and (suspected) exposure to other potentially hazardous chemicals
V87.31	Contact with and (suspected) exposure to mold
V87.39	Contact with and (suspected) exposure to potentially hazardous substances
V87.41	Personal history of antineoplastic chemotherapy
V87.42	Personal history of monoclonal drug therapy
V87.49	Personal history of other drug therapy
V88.01	Acquired absence of both cervix and uterus
V88.02	Acquired absence of uterus with remaining cervical stump
V88.03	Acquired absence of cervix with remaining uterus

Revised Codes

038.11	Methicillin susceptible Staphylococcus aureus septicemia
041.11	Methicillin susceptible Staphylococcus aureus in conditions classified elsewhere and of unspecified site
482.41	Methicillin susceptible pneumonia due to Staphylococcus aureus
V45.71	Acquired absence of breast and nipple

Deleted Codes

046.1	Jakob-Creutzfeldt disease
051.0	Cowpox
136.2	Specific infections by free-living amebae

2009 Pediatric ICD-9-CM Codes

Effective October 1, 2008

Deleted Codes

259.2	Androgen insensitivity syndrome
337.0	Idiopathic peripheral autonomic neuropathy
511.8	Other specified forms of pleural effusion, except tuberculous
599.7	Hematuria
611.8	Other specified disorders of breast
695.1	Erythema multiforme
729.9	Other and unspecified disorders of soft tissue
760.6	Surgical operation on mother
777.5	Necrotizing enterocolitis in fetus or newborn
780.6	Fever
788.9	Other symptoms involving urinary system
795.1	Nonspecific abnormal Papanicolaou smear of other site
997.3	Respiratory complications
999.8	Other transfusion reaction
V13.5	Personal history of other musculoskeletal disorders
V15.2	Personal history of surgery to other major organs
V15.5	Personal history of injury
V28.8	Encounter for other specified antenatal screening
V45.1	Renal dialysis status
V51	Aftercare involving the use of plastic surgery
V61.0	Family disruption
V62.2	Other occupational circumstances or maladjustment

Be sure to order your new 2009 ICD-9-CM manual! An entire list of code changes can be obtained from the National Center for Healthcare Statistics website at:

www.cdc.gov/nchs/dataawh/ftpserv/ftpicd9/ftpicd9.htm#guidelines