



Effective October 1, 2016

There are 1,943 new codes and 422 code revisions to ICD-10-CM for 2017. Listed below are the new codes and revisions we believe are of most interest to pediatricians. Please see the 2017 ICD-10-CM Code Book for a complete list of new and revised codes.

Note that in ICD-10-CM, codes will no longer actually be deleted, but may be expanded to create more specific codes. (Example: K85.0 expanded to K85.00, K85.01, and K85.02. K85.0 would be invalid without the 5th character.)

- - New Code
- ▲ - Revised Code
- ▶◀ - New or Revised Text

Chapter 1 Certain Infectious and Parasitic Diseases

- A92.5 Zika virus disease
(See P00.2 for newborn affected by maternal infectious and parasitic diseases)
- ▲B17.9 Acute viral hepatitis, unspecified
▶ Acute infectious hepatitis, NOS ◀

Chapter 4 Endocrine, Nutritional and Metabolic Diseases

- E78.0- Pure hypercholesterolemia
 - E78.00 Pure hypercholesterolemia, unspecified
 - E78.01 Familial hypercholesterolemia
- E86.0- Volume depletion
▶ (Use additional code(s) for any associated disorders of electrolytes and acid-base balance (E87.-) ◀

Chapter 5 Mental, Behavioral and Neurodevelopmental Disorders

- F32.8- Other depressive episodes
 - F32.81 Premenstrual dysphoric disorder
 - F32.89 Other specified depressive disorder
- F42.- Obsessive-compulsive disorder
 - F42.2 Mixed obsessional thoughts and acts
 - F42.3 Hoarding disorder
 - F42.4 Excoriation (skin-picking) disorder
 - F42.8 Other obsessive-compulsive disorder

- F42.9 Obsessive-compulsive disorder, unspecified

- F50.8- Other eating disorders
- F50.81 Binge eating disorder
 - F50.89 Other specified eating disorder

- F64 Gender Transsexualism
- F64.0 Transsexualism
 - ▲F64.1 Dual role transvestism
- (Use additional code to identify sex reassignment status Z87.890)

- F80.82 Social pragmatic communication disorder
- Excludes 1** *Asperger's syndrome (F84.5)*
Autistic disorder (F84.0)

Chapter 7 Diseases of the Eye and Adnexa

- H53.04- Amblyopia suspect
- H53.041 Amblyopia suspect, right eye
 - H53.042 Amblyopia suspect, left eye
 - H53.043 Amblyopia suspect, bilateral
 - H53.049 Amblyopia, suspect, unspecified eye

Chapter 8 Diseases of the Ear and Mastoid Process

- H90.A1- Conductive hearing loss, unilateral, with restricted hearing on the contralateral side
 - H90.A11 Conductive hearing loss, unilateral, right ear with restricted hearing on the contralateral side
 - H90.A12 Conductive hearing loss, unilateral, left ear with restricted hearing on the contralateral side
- H90.A2- Sensorineural hearing loss, unilateral, with restricted hearing on the contralateral side
 - H90.A21 Sensorineural hearing loss, unilateral, right ear, with restricted hearing on the contralateral side
 - H90.A22 Sensorineural hearing loss, unilateral, left ear, with restricted hearing on the contralateral side
- H90.A3- Mixed conductive and sensorineural hearing loss, unilateral with restricted hearing on the contralateral side
 - H90.A31 Mixed conductive and sensorineural hearing loss, unilateral, right ear with restricted hearing on the contralateral side
 - H90.A32 Mixed conductive and sensorineural hearing loss, unilateral, left ear with restricted hearing on the contralateral side

Chapter 9 Diseases of the Circulatory System

- I16.- Hypertensive Crisis
 (Code also any identified hypertensive disease I10-I15)
 - I16.0 Hypertensive urgency
 - I16.1 Hypertensive emergency
 - I16.9 Hypertensive crisis, unspecified

Chapter 14 Diseases of the Genitourinary System

- N13.- Other and unspecified hydronephrosis
- N13.0 Hydronephrosis with ureteropelvic junction obstruction
- N50.81- Testicular pain
- N50.811 Right testicular pain
 - N50.812 Left testicular pain
 - N50.819 Testicular pain, unspecified
- N50.82 Scrotal pain
- N50.89 Other specified disorders of the male genital organs
- N90.6- Hypertrophy of vulva
- N90.60 Unspecified hypertrophy of vulva
 - N90.61 Childhood asymmetric labium majus enlargement
 - N90.69 Other specified hypertrophy of vulva
- N93.- Other abnormal uterine and vaginal bleeding
- N93.1 Prepubertal vaginal bleeding

Chapter 16 Certain Conditions Originating in the Perinatal Period

Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)

Note ► These codes are for use when the listed maternal conditions (or birth process) are specified as the cause of confirmed morbidity or potential morbidity which have their origin in the perinatal period (before birth through the first 28 days after birth). ◀

- P05.0- Newborn light for gestational age
- Weight below but length above 10th percentile for gestational age ◀
 - P05.09 Newborn light for gestational age, 2500 grams and over
- P05.1- Newborn small for gestational age
- Weight and length below 10th percentile for gestational age ◀
 - P05.19 Newborn small for gestational age, other

Chapter 17 Congenital Malformations, Deformations and Chromosomal Abnormalities

- Q25.2- Atresia of aorta
- Q25.21 Interruption of aortic arch
 - Q25.29 Other atresia of aorta
- Q25.4- Other congenital malformations of aorta
- Q25.40 Congenital malformation of aorta unspecified
 - Q25.41 Absence and aplasia of aorta
 - Q25.42 Hypoplasia of aorta
 - Q25.43 Congenital aneurysm of aorta
 - Q25.44 Congenital dilation of aorta
 - Q25.45 Double aortic arch

- Q25.46 Tortuous aortic arch
- Q25.47 Right aortic arch
- Q25.48 Anomalous origin of subclavian artery
- Q25.49 Other congenital malformations of aorta

Chapter 18 Symptoms, signs and Abnormal Clinical and Laboratory Findings

- R31.2- Other microscopic hematuria
- R31.21 Asymptomatic microscopic hematuria
 - R31.29 Other microscopic hematuria
- R73.0 Abnormal glucose
- R73.03 Prediabetes
- R82.7- Abnormal findings on microbiological examination of urine
- R82.71 Bacteriuria
 - R82.79 Other abnormal findings on microbiological examination of urine

Chapter 19 Injury, Poisoning and Certain Other Consequences of External Causes

Changes to “Injuries to Head” (S00-S09)

- New codes added to define laterality and encounter type under fracture of skull and facial bones (S02-)
- New codes added to define laterality and encounter type under dislocation of jaw (S03.01-) and sprain of jaw (S03.41-)

New codes for “Injuries to Ankle and Foot” (S90-S99)

“A” - initial encounter is used **for each encounter where** the patient is receiving active treatment for the condition.

“D”- subsequent encounter is used for encounters after the patient has **completed** active treatment of the condition and is receiving routine care for the condition during the healing or recovery phase.

“S” - is for use for complications or conditions that arise as a direct result of a condition, such as scar formation after a burn. The scars are sequelae of the burn.

When using 7th character “S”, it is necessary to use **both** the injury code that precipitated the sequela and the code for the sequela itself. The “S” is added **only to the injury code, not the sequela code.**

Chapter 20 External Causes of Morbidity

- ▲ W26.- Contact with other sharp objects
 - W26.2XX Contact with edge of stiff paper
 - W26.8XX Contact with other sharp object(s), not elsewhere classified
 - W26.9XX Contact with unspecified sharp object(s)

- X50.0- Overexertion and strenuous or repetitive movements
 - X50.0XX Overexertion from strenuous movement or load
 - X50.1XX Overexertion from prolonged static or awkward postures
 - X50.3XX Overexertion from repetitive movements
 - X50.9XX Other and unspecified overexertion or strenuous movements or postures

- Y93.85 Activity, choking game

Chapter 21 Factors Influencing Health Status and Contact With Health Services

- Z05.0 Observation and evaluation of newborn for suspected diseases and conditions ruled out
This category is to be used for newborns, within the neonatal period (the first 28 days of life), who are suspected of having an abnormal condition unrelated to exposure from the mother or the birth process, but without signs or symptoms, and which, after examination and observation, is ruled out.
Excludes 2: *newborn observation for suspected condition, related to exposure from the mother or birth process (P00-P04)*

- Z05.0 Observation and evaluation of newborn for suspected cardiac condition ruled out
- Z05.1 Observation and evaluation of newborn for suspected infectious condition ruled out
- Z05.2 Observation and evaluation of newborn for suspected neurological condition ruled out
- Z05.3 Observation and evaluation of newborn for suspected respiratory condition ruled out
- Z05.41 Observation and evaluation of newborn for suspected genetic condition ruled out
- Z05.42 Observation and evaluation of newborn for suspected metabolic condition ruled out
- Z05.43 Observation and evaluation of newborn for suspected immunologic condition ruled out
- Z05.5 Observation and evaluation of newborn for suspected gastrointestinal condition ruled out
- Z05.6 Observation and evaluation of newborn for suspected genitourinary condition ruled out
- Z05.71 Observation and evaluation of newborn for suspected skin and subcutaneous tissue condition ruled out
- Z05.72 Observation and evaluation of newborn for suspected musculoskeletal condition ruled out
- Z05.73 Observation and evaluation of newborn for suspected connective tissue condition ruled out
- Z05.8 Observation and evaluation of newborn for other specified suspected condition ruled out
- Z05.9 Observation and evaluation of newborn for unspecified suspected condition ruled out

- Z29.- Encounters for other prophylactic measures
 - Z29.11 Encounter for prophylactic immunotherapy for respiratory syncytial virus (RSV)
 - Z29.12 Encounter for prophylactic antivenin
 - Z29.13 Encounter for prophylactic Rho(D) immune globulin
 - Z29.14 Encounter for prophylactic rabies immune globin
 - Z29.3 Encounter for prophylactic fluoride administration
 - Z29.8 Encounter for other specified prophylactic measures
 - Z29.9 Encounter for prophylactic measures, unspecified

- Z30.01- Encounter for initial prescription of contraceptives
 - Z30.015 Encounter for initial prescription of vaginal ring hormonal contraceptive
 - Z30.016 Encounter for initial prescription of transdermal patch hormonal contraceptive device
 - Z30.017 Encounter for initial prescription of implantable subdermal contraceptive

- Z30.4- Encounter for surveillance of contraceptives
 - Z30.44 Encounter for surveillance of vaginal ring hormonal contraceptive device
 - Z30.45 Encounter for surveillance of transdermal patch hormonal contraceptive device
 - Z30.46 Encounter for surveillance of implantable subdermal contraceptive

- Z83 Family history of other specific disorders
 - Z83.42 Family history of familial hypercholesterolemia

- Z84 Family history of other conditions
 - Z84.82 Family history of sudden infant death syndrome

Resources:

Optum 360, 2017 ICD-10-CM Expert for Physicians

American Academy of Pediatrics, Pediatric Coding Updates for 2017 Webinar