

GEMS ICD-9 Report

08/19/2013 02:36 PM

ICD-9: 034.0 Streptococcal sore throat

GEMS ICD-10	GEMS ICD-10 Description		Scenario	Choice List
Approximate	No Map	Combination		
J02.0	Streptococcal pharyngitis			
Yes	No	No	0	0
J03.00	Acute streptococcal tonsillitis, unspecified			
Yes	No	No	0	0

Add'l ICD-10	Add'l ICD-10 Description
J03.01	Acute recurrent streptococcal tonsillitis

Coding Tip

Use additional code to identify: exposure to environmental tobacco smoke (Z77.22), exposure to tobacco smoke in the perinatal period (P96.81), history of tobacco use (Z87.891), occupational exposure to environmental tobacco smoke (Z57.31), tobacco dependence (F17-), tobacco use (Z72.0) with categories J02 and J03.

ICD-9: 078.89 Other specified diseases due to viruses

GEMS ICD-10	GEMS ICD-10 Description		Scenario	Choice List
Approximate	No Map	Combination		
A98.3	Marburg virus disease			
Yes	No	No	0	0
A98.4	Ebola virus disease			
Yes	No	No	0	0
B33.8	Other specified viral diseases			
Yes	No	No	0	0

Add'l ICD-10	Add'l ICD-10 Description
A98.0	Crimean-Congo hemorrhagic fever
A98.1	Omsk hemorrhagic fever
A98.2	Kyasanur Forest disease
A98.5	Hemorrhagic fever with renal syndrome
A98.8	Other specified viral hemorrhagic fevers
B33.0	Epidemic myalgia
B33.1	Ross River disease
B33.20	Viral carditis, unspecified
B33.21	Viral endocarditis
B33.22	Viral myocarditis
B33.23	Viral pericarditis
B33.24	Viral cardiomyopathy
B33.3	Retrovirus infections, not elsewhere classified
B33.4	Hantavirus (cardio)-pulmonary syndrome [HPS] [HCPS]

GEMS ICD-9 Report

08/19/2013 02:36 PM

Coding Tip

Use additional code for any associated resistance and non-responsiveness of a condition to antimicrobial drugs (Z16-) if the infection code does not identify drug resistance when reporting codes A00.0 through B99.9

ICD-9: 079.99 Unspecified viral infection

GEMS ICD-10	GEMS ICD-10 Description			
Approximate	No Map	Combination	Scenario	Choice List

B97.89	Other viral agents as the cause of diseases classified elsewhere			
Yes	No	No	0	0

Coding Tip

Also see categories B33, B34, B97

Category B97 is for use as supplementary or additional codes to identify the infectious agent(s) in diseases classified elsewhere.

Use additional code for any associated resistance and non-responsiveness of a condition to antimicrobial drugs (Z16-) if the infection code does not identify drug resistance when reporting codes A00.0 through B99.9

ICD-9: 314.01 Attention deficit disorder with hyperactivity

GEMS ICD-10	GEMS ICD-10 Description			
Approximate	No Map	Combination	Scenario	Choice List

F90.0	Attention-deficit hyperactivity disorder, predominantly inattentive type			
Yes	No	No	0	0
F90.1	Attention-deficit hyperactivity disorder, predominantly hyperactive type			
Yes	No	No	0	0
F90.2	Attention-deficit hyperactivity disorder, combined type			
Yes	No	No	0	0
F90.9	Attention-deficit hyperactivity disorder, unspecified type			
Yes	No	No	0	0

Add'l ICD-10 Add'l ICD-10 Description

F90.8	Attention-deficit hyperactivity disorder, other type			
-------	--	--	--	--

ICD-9: 372.30 Conjunctivitis, unspecified

GEMS ICD-10	GEMS ICD-10 Description			
Approximate	No Map	Combination	Scenario	Choice List

H10.9	Unspecified conjunctivitis			
No	No	No	0	0

Coding Tip

For additional I-10 code options refer to category H10

ICD-9: 382.00 Acute suppurative otitis media without spontaneous rupture of eardrum

GEMS ICD-9 Report

08/19/2013 02:36 PM

GEMS ICD-10	GEMS ICD-10 Description				
Approximate	No Map	Combination	Scenario	Choice List	
H66.009	Acute suppurative otitis media without spontaneous rupture of ear drum, unspecified ear				
Yes	No	No	0	0	

Add'l ICD-10	Add'l ICD-10 Description
H66.001	Acute suppurative otitis media without spontaneous rupture of ear drum, right ear
H66.002	Acute suppurative otitis media without spontaneous rupture of ear drum, left ear
H66.003	Acute suppurative otitis media without spontaneous rupture of ear drum, bilateral
H66.004	Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, right ear
H66.005	Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, left ear
H66.006	Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, bilateral
H66.007	Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, unspecified ear

Coding Tip

Use additional code for any associated perforated tympanic membrane (H72.-) when reporting codes from category H66

Use additional code to identify: exposure to environmental tobacco smoke (Z77.22), exposure to tobacco smoke in the perinatal period (P96.81), history of tobacco use (Z87.891), occupational exposure to environmental tobacco smoke (Z57.31), tobacco dependence (F17.-), tobacco use (Z72.0) when reporting codes from category H66

ICD-9: 382.9 Unspecified otitis media

GEMS ICD-10	GEMS ICD-10 Description				
Approximate	No Map	Combination	Scenario	Choice List	
H66.90	Otitis media, unspecified, unspecified ear				
Yes	No	No	0	0	

Add'l ICD-10	Add'l ICD-10 Description
H66.91	Otitis media, unspecified, right ear
H66.92	Otitis media, unspecified, left ear
H66.93	Otitis media, unspecified, bilateral

Coding Tip

For additional I-10 code options refer to categories H65 through H67

Use additional code for any associated perforated tympanic membrane (H72.-) when reporting codes from categories H65 and H66

Use additional code to identify: exposure to environmental tobacco smoke (Z77.22), exposure to tobacco smoke in the perinatal period (P96.81), history of tobacco use (Z87.891), occupational exposure to environmental tobacco smoke (Z57.31), tobacco dependence (F17.-), tobacco use (Z72.0) when reporting codes from categories H65 and H66

ICD-9: 462 Acute pharyngitis

GEMS ICD-10	GEMS ICD-10 Description				
Approximate	No Map	Combination	Scenario	Choice List	

GEMS ICD-9 Report

08/19/2013 02:36 PM

J02.9	Acute pharyngitis, unspecified			
Yes	No	No	0	0

Add'l ICD-10	Add'l ICD-10 Description
--------------	--------------------------

J00	Acute nasopharyngitis [common cold]
J02.8	Acute pharyngitis due to other specified organisms
J06.0	Acute laryngopharyngitis

Coding Tip

Use additional code (B95-B97) to identify infectious agent when reporting code J02.8

Use additional code, where applicable, to identify: exposure to environmental tobacco smoke (Z77.22), exposure to tobacco smoke in the perinatal period (P96.81), history of tobacco use (Z87.891), occupational exposure to environmental tobacco smoke (Z57.31), tobacco dependence (F17.-) and tobacco use (Z72.0) when reporting codes from categories J00 through J99

ICD-9: 465.9 Acute upper respiratory infections of unspecified site

GEMS ICD-10	GEMS ICD-10 Description			
Approximate	No Map	Combination	Scenario	Choice List

J06.9	Acute upper respiratory infection, unspecified			
Yes	No	No	0	0

Add'l ICD-10	Add'l ICD-10 Description
--------------	--------------------------

J06.0	Acute laryngopharyngitis
-------	--------------------------

Coding Tip

Use additional code, where applicable, to identify: exposure to environmental tobacco smoke (Z77.22), exposure to tobacco smoke in the perinatal period (P96.81), history of tobacco use (Z87.891), occupational exposure to environmental tobacco smoke (Z57.31), tobacco dependence (F17.-) and tobacco use (Z72.0) when reporting codes from categories J00 through J99

ICD-9: 473.9 Unspecified sinusitis (chronic)

GEMS ICD-10	GEMS ICD-10 Description			
Approximate	No Map	Combination	Scenario	Choice List

J32.9	Chronic sinusitis, unspecified			
No	No	No	0	0

Add'l ICD-10	Add'l ICD-10 Description
--------------	--------------------------

J32.0	Chronic maxillary sinusitis
J32.1	Chronic frontal sinusitis
J32.2	Chronic ethmoidal sinusitis
J32.3	Chronic sphenoidal sinusitis
J32.4	Chronic pansinusitis
J32.8	Other chronic sinusitis

Coding Tip

GEMS ICD-9 Report

08/19/2013 02:36 PM

Use additional code, where applicable, to identify: exposure to environmental tobacco smoke (Z77.22), exposure to tobacco smoke in the perinatal period (P96.81), history of tobacco use (Z87.891), occupational exposure to environmental tobacco smoke (Z57.31), tobacco dependence (F17.-) and tobacco use (Z72.0) when reporting codes from categories J00 through J99

ICD-9: 477.9 Allergic rhinitis, cause unspecified

GEMS ICD-10		GEMS ICD-10 Description			
Approximate	No Map	Combination	Scenario	Choice List	
J30.0	Vasomotor rhinitis				
Yes	No	No	0	0	
J30.9	Allergic rhinitis, unspecified				
Yes	No	No	0	0	

Add'l ICD-10	Add'l ICD-10 Description
J30.1	Allergic rhinitis due to pollen
J30.2	Other seasonal allergic rhinitis
J30.5	Allergic rhinitis due to food
J30.81	Allergic rhinitis due to animal (cat) (dog) hair and dander
J30.89	Other allergic rhinitis

Coding Tip

Use additional code, where applicable, to identify: exposure to environmental tobacco smoke (Z77.22), exposure to tobacco smoke in the perinatal period (P96.81), history of tobacco use (Z87.891), occupational exposure to environmental tobacco smoke (Z57.31), tobacco dependence (F17.-) and tobacco use (Z72.0) when reporting codes from categories J00 through J99

ICD-9: 486 Pneumonia, organism unspecified

GEMS ICD-10		GEMS ICD-10 Description			
Approximate	No Map	Combination	Scenario	Choice List	
J18.9	Pneumonia, unspecified organism				
Yes	No	No	0	0	

Add'l ICD-10	Add'l ICD-10 Description
J18.0	Bronchopneumonia, unspecified organism
J18.1	Lobar pneumonia, unspecified organism
J18.2	Hypostatic pneumonia, unspecified organism
J18.8	Other pneumonia, unspecified organism

Coding Tip

Code first associated influenza, if applicable (J09.X1, J10.0-, -J11.0-) when reporting codes from category J18
 For additional I-10 coding options refer to categories J12 through J18

Use additional code, where applicable, to identify: exposure to environmental tobacco smoke (Z77.22), exposure to tobacco smoke in the perinatal period (P96.81), history of tobacco use (Z87.891), occupational exposure to environmental tobacco smoke (Z57.31), tobacco dependence (F17.-) and tobacco use (Z72.0) when reporting codes from categories J00 through J99

GEMS ICD-9 Report

08/19/2013 02:36 PM

ICD-9: 487.1 Influenza with other respiratory manifestations

GEMS ICD-10	GEMS ICD-10 Description				Choice List
Approximate	No Map	Combination	Scenario		
J10.1	Influenza due to other identified influenza virus with other respiratory manifestations				
Yes	No	No	0	0	
J11.1	Influenza due to unidentified influenza virus with other respiratory manifestations				
Yes	No	No	0	0	

ICD-9: 490 Bronchitis, not specified as acute or chronic

GEMS ICD-10	GEMS ICD-10 Description				Choice List
Approximate	No Map	Combination	Scenario		
J40	Bronchitis, not specified as acute or chronic				
No	No	No	0	0	

Add'l ICD-10	Add'l ICD-10 Description			
J20.0	Acute bronchitis due to Mycoplasma pneumoniae			
J20.1	Acute bronchitis due to Hemophilus influenzae			
J20.2	Acute bronchitis due to streptococcus			
J20.3	Acute bronchitis due to coxsackievirus			
J20.4	Acute bronchitis due to parainfluenza virus			
J20.5	Acute bronchitis due to respiratory syncytial virus			
J20.6	Acute bronchitis due to rhinovirus			
J20.7	Acute bronchitis due to echovirus			
J20.8	Acute bronchitis due to other specified organisms			
J20.9	Acute bronchitis, unspecified			
J41.0	Simple chronic bronchitis			
J41.1	Mucopurulent chronic bronchitis			
J41.8	Mixed simple and mucopurulent chronic bronchitis			
J42	Unspecified chronic bronchitis			

Coding Tip

New combination codes for acute bronchitis eliminate need to code cause of bronchitis separately
 Use additional code, where applicable, to identify: exposure to environmental tobacco smoke (Z77.22), exposure to tobacco smoke in the perinatal period (P96.81), history of tobacco use (Z87.891), occupational exposure to environmental tobacco smoke (Z57.31), tobacco dependence (F17.-) and tobacco use (Z72.0) when reporting codes from categories J00 through J99

ICD-9: 493.90 Asthma,unspecified type, unspecified

GEMS ICD-10	GEMS ICD-10 Description				Choice List
Approximate	No Map	Combination	Scenario		
J45.909	Unspecified asthma, uncomplicated				
Yes	No	No	0	0	

GEMS ICD-9 Report

08/19/2013 02:36 PM

J45.998	Other asthma			
Yes	No	No	0	0

Add'l ICD-10	Add'l ICD-10 Description
--------------	--------------------------

J45.20	Mild intermittent asthma, uncomplicated
J45.21	Mild intermittent asthma with (acute) exacerbation
J45.22	Mild intermittent asthma with status asthmaticus
J45.30	Mild persistent asthma, uncomplicated
J45.31	Mild persistent asthma with (acute) exacerbation
J45.32	Mild persistent asthma with status asthmaticus
J45.40	Moderate persistent asthma, uncomplicated
J45.41	Moderate persistent asthma with (acute) exacerbation
J45.42	Moderate persistent asthma with status asthmaticus
J45.50	Severe persistent asthma, uncomplicated
J45.51	Severe persistent asthma with (acute) exacerbation
J45.52	Severe persistent asthma with status asthmaticus
J45.901	Unspecified asthma with (acute) exacerbation
J45.902	Unspecified asthma with status asthmaticus
J45.990	Exercise induced bronchospasm
J45.991	Cough variant asthma

Coding Tip

ICD-10 Category J45 includes both intrinsic and extrinsic asthma

Use additional code, where applicable, to identify: exposure to environmental tobacco smoke (Z77.22), exposure to tobacco smoke in the perinatal period (P96.81), history of tobacco use (Z87.891), occupational exposure to environmental tobacco smoke (Z57.31), tobacco dependence (F17.-) and tobacco use (Z72.0) when reporting codes from categories J00 through J99

ICD-9: 530.81 Esophageal reflux

GEMS ICD-10	GEMS ICD-10 Description			
Approximate	No Map	Combination	Scenario	Choice List

K21.9	Gastro-esophageal reflux disease without esophagitis			
No	No	No	0	0

Add'l ICD-10	Add'l ICD-10 Description
--------------	--------------------------

K21.0	Gastro-esophageal reflux disease with esophagitis
-------	---

ICD-9: 558.9 Other and unspecified noninfectious gastroenteritis and colitis

GEMS ICD-10	GEMS ICD-10 Description			
Approximate	No Map	Combination	Scenario	Choice List

K52.89	Other specified noninfective gastroenteritis and colitis			
Yes	No	No	0	0

K52.9	Noninfective gastroenteritis and colitis, unspecified			
-------	---	--	--	--

GEMS ICD-9 Report

08/19/2013 02:36 PM

Yes	No	No	0	0
Add'l ICD-10		Add'l ICD-10 Description		
K52.0	Gastroenteritis and colitis due to radiation			
K52.1	Toxic gastroenteritis and colitis			
K52.2	Allergic and dietetic gastroenteritis and colitis			
K52.81	Eosinophilic gastritis or gastroenteritis			
K52.82	Eosinophilic colitis			

ICD-9: 564.00 Constipation, unspecified

GEMS ICD-10	GEMS ICD-10 Description			
Approximate	No Map	Combination	Scenario	Choice List
K59.00	Constipation, unspecified			
No	No	No	0	0

Add'l ICD-10		Add'l ICD-10 Description		
K59.01	Slow transit constipation			
K59.02	Outlet dysfunction constipation			
K59.09	Other constipation			

ICD-9: 692.9 Contact dermatitis and other eczema, unspecified cause

GEMS ICD-10	GEMS ICD-10 Description			
Approximate	No Map	Combination	Scenario	Choice List
L25.9	Unspecified contact dermatitis, unspecified cause			
Yes	No	No	0	0

Add'l ICD-10		Add'l ICD-10 Description		
L25.0	Unspecified contact dermatitis due to cosmetics			
L25.1	Unspecified contact dermatitis due to drugs in contact with skin			
L25.3	Unspecified contact dermatitis due to other chemical products			
L25.4	Unspecified contact dermatitis due to food in contact with skin			
L25.5	Unspecified contact dermatitis due to plants, except food			

ICD-9: 780.60 Fever, unspecified

GEMS ICD-10	GEMS ICD-10 Description			
Approximate	No Map	Combination	Scenario	Choice List
R50.2	Drug induced fever			
Yes	No	No	0	0
R50.9	Fever, unspecified			
Yes	No	No	0	0

Add'l ICD-10		Add'l ICD-10 Description		
O75.2	Pyrexia during labor, not elsewhere classified			

GEMS ICD-9 Report

08/19/2013 02:36 PM

O86.4	Pyrexia of unknown origin following delivery
R50.81	Fever presenting with conditions classified elsewhere
R50.82	Postprocedural fever
R50.83	Postvaccination fever
R50.84	Febrile nonhemolytic transfusion reaction
R56.00	Simple febrile convulsions
R56.01	Complex febrile convulsions

Coding Tip

Code first underlying condition when associated fever is present, such as with: leukemia (C91-C95), neutropenia (D70.-) or sickle-cell disease (D57.-) when reporting code R50.8
 Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5) when reporting code R50.2

ICD-9: 786.2 Cough

GEMS ICD-10	GEMS ICD-10 Description				
	Approximate	No Map	Combination	Scenario	Choice List
R05	Cough				
	No	No	No	0	0

Add'l ICD-10 Add'l ICD-10 Description

R04.2 Hemoptysis

Coding Tip

Cough due to smoking is reported with code J41.0

ICD-9: 789.00 Abdominal pain, unspecified site

GEMS ICD-10	GEMS ICD-10 Description				
	Approximate	No Map	Combination	Scenario	Choice List
R10.9	Unspecified abdominal pain				
	Yes	No	No	0	0

Add'l ICD-10 Add'l ICD-10 Description

R10.0	Acute abdomen
R10.10	Upper abdominal pain, unspecified
R10.11	Right upper quadrant pain
R10.12	Left upper quadrant pain
R10.13	Epigastric pain
R10.2	Pelvic and perineal pain
R10.30	Lower abdominal pain, unspecified
R10.31	Right lower quadrant pain
R10.32	Left lower quadrant pain
R10.33	Periumbilical pain

GEMS ICD-9 Report

08/19/2013 02:36 PM

- R10.811 Right upper quadrant abdominal tenderness
- R10.812 Left upper quadrant abdominal tenderness
- R10.813 Right lower quadrant abdominal tenderness
- R10.814 Left lower quadrant abdominal tenderness
- R10.815 Periumbilic abdominal tenderness
- R10.816 Epigastric abdominal tenderness
- R10.817 Generalized abdominal tenderness
- R10.821 Right upper quadrant rebound abdominal tenderness
- R10.822 Left upper quadrant rebound abdominal tenderness
- R10.823 Right lower quadrant rebound abdominal tenderness
- R10.824 Left lower quadrant rebound abdominal tenderness
- R10.825 Periumbilic rebound abdominal tenderness
- R10.826 Epigastric rebound abdominal tenderness
- R10.827 Generalized rebound abdominal tenderness
- R10.83 Colic
- R10.84 Generalized abdominal pain

ICD-9: V04.81 Need for prophylactic vaccination and inoculation against influenza

GEMS ICD-10	GEMS ICD-10 Description			
Approximate	No Map	Combination	Scenario	Choice List
Z23	Encounter for immunization			
Yes	No	No	0	0

Coding Tip

Code first any routine childhood examination when reporting code Z23

ICD-9: V20.2 Routine infant or child health check

GEMS ICD-10	GEMS ICD-10 Description			
Approximate	No Map	Combination	Scenario	Choice List
Z00.129	Encounter for routine child health examination without abnormal findings			
Yes	No	No	0	0

Add'l ICD-10 Add'l ICD-10 Description

- Z00.110 Health examination for newborn under 8 days old
- Z00.111 Health examination for newborn 8 to 28 days old
- Z00.121 Encounter for routine child health examination with abnormal findings

Coding Tip

Use additional code to identify any abnormal findings when reporting code Z00.11.

ICD-9: V67.59 Other follow-up examination

GEMS ICD-9 Report

08/19/2013 02:36 PM

GEMS ICD-10	GEMS ICD-10 Description	Approximate	No Map	Combination	Scenario	Choice List
Z09	Encounter for follow-up examination after completed treatment for conditions other than malignant neoplasm	Yes	No	No	0	0

Total ICD-9 Codes: 25